INDEX

Page

Adelphocoris lineolatus, susceptibility to DDT-sabadilla mixtures 641–646
Agallia albidula—
description, distribution, and host range 686
hosts 677
incubation of Brazilian curly top virus in, period 687
retention of Brazilian curly top virus—during feeding on immune plants 690
period 687–690
vector of Brazilian curly top virus 675
Age of parents, effect on hatchability in Rhode Island Reds. F. A. Hays and D. W. Talmadge 285–290
Aggregation, soil, relation to of influence of drying on buffering. R. M. Smith and D. R. Browning 263–284
Agouti-colored rabbits, pigment development in fur fibers. Ethel H. Dolnick 517–534
Airplane DDT applications, effects on citrus groves in Florida. J. T. Griffiths, Jr., and C. R. Stearns, Jr 471–476
ALBERTS, J. O., ROBERTS, E., and EISENSTARK, A.: Effect of Sodium Sulfamerazine on *Salmonella pullorum* 291–294
Albizzia—
fusaria on, studies 366–372
See also Mimosa.
Alfalfa—
and corn, standard ration, digestibility and metabolizability by lambs. R. M. Forbes and W. P. Garrigus 483–488
plant bugs, susceptibility to DDT-sabadilla mixtures 641–646
ALLARD, R. W.: A Cytogenetic Study Dealing with the Transfer of Genes from *Triticum timopheevi* to Common Wheat by Backcrossing 33–64
Allium cepa. *See* Onions.
Alternaria, tolerance to borax 696, 701
Amino acid action on tobacco seedlings in aseptic culture, symptoms. Robert A. Steinberg 733–741
Anaerobes—
populations during fermentation of steamed potato silage 26–27
thermophilic activity during fermentation of steamed potatoes 27–29, 30
Antioxidants, influence on dehydrated carrots. T. E. Weier and C. R. Stocking 503–515
Aonidiella aurantii. *See* California red scales.
Aphis citricidus—
distribution 209
transmission of tristeza, tests 209, 218–221
Apples, DDT spray residue removal, problems. Kenneth C. Walker 383–387
Armoracia rusticana. *See* Horseradish.
ARTSCHWAGER, ERNST, and MCGUIRE, RUTH C.: Cytology of Reproduction in *Sorghum vulgare* 659–673
Ascorbic acid—
content of strawberries, effect of sunlight. Willard B. Robinson 257–262
efficacy in protection of carrot pigments 508, 509, 510
Azotobacter—
inoculation of soil, effect upon plant growth and nitrogen balance. P. L. Gainey 405–411
longevity, effect of treatments 408

Bacterial leaf blight and stalk rot of corn—
A. G. Johnson, Alice L. Robert, and Lillian Cash 719–732
See also Corn.

Page

Bacteriological changes during fermentation of steamed potatoes for silage. John L. Etchells and Ivan D. Jones 19–31
Bacterium stewarti, cause of bacterial wilt of corn 730
Barley—
embryo growth studies 296, 301–306
kernels, immature, viviparous growth. M. N. Pope 295–309
Bean—
beetle, Mexican, toxicity of derris and lonchocarpus to, comparison 193
disease caused by watermelon virus 648–651
varietal susceptibility to Wisconsin pea stunt 623
Beans, lima, production, effect of earthworms 328, 330, 334–337
BENNETT, C. W., and COSTA, A. S.:
The Brazilian Curly Top of Tomato and Tobacco Resembling North American and Argentine Curly Top of Sugar Beet 675–693
Tristeza Disease of Citrus 207–237
Benzene hexachloride—
dusts for control of insect ectoparasites on sheep. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning 565–569
flavor in cooked potatoes 479–481
soils treated with, effect on palatability of potatoes, tests. Mary L. Greenwood and Jean Marie Tice 477–482
Beta vulgaris. *See* Sugar beet.
2,2-Bis-(p-chlorophenyl)-1,1,1-trichlorethane. *See* DDT.
Black rot—
cucurbit, fungus, physiology and pathogenicity. W. F. Chiu and J. C. Walker 589–615
fungus of cucurbits. *See* Cucurbit black rot fungus; *Mycosphaerella cucumis*.
of sweetpotatoes, effect of heat. L. J. Kushman and J. S. Cooley 183–190
Borax, tolerance of *Alternaria* to 696, 701
BOWMAN, FERNE, and HANNING, FLORA: Procedures That Reduce Darkening of Cooked Potatoes 627–636
Brassica oleracea var. *capitata*. *See* Cabbage.
BRAY, ROBERT W., DICKE, ROBERT J., POPE, ARTHUR L., and HANNING, FLORA: Investigation of Rotenone and Benzene Hexachloride Dusts for the Control of Insect Ectoparasites on Sheep 565–569
Brazil, tristeza disease of citrus, control measures 227–229
Brazilian curly top. *See* Curly top, Brazilian.
Bromegrass fruits—
developing, measurements 252–254
growth periods, reasons for 255
length, periodic increase 252–255
longitudinal growth, some aspects. Irving William Knobloch 251–256
Bromus inermis, fruit growth 252–255
BROWNING, D. R., and SMITH, R. M.: The Influence of Drying on Soil Buffering in Relation to Aggregation and Other Factors 263–284
Buckwheat, Brazilian curly top, symptoms 683
Buffering, soil, influence of drying in relation to aggregation and other factors. R. M. Smith and D. R. Browning 263–284
Bunt resistance of *Triticum* strains 47, 60

Cabbage—
Chinese, inoculation with nitrogen-mustard-induced mutant of *Phoma lingam* 578–580
inoculation with nitrogen-mustard-induced mutant of *Phoma lingam* 578–580

Page

California red scales—
development at constant temperatures 452-454
development at fluctuating temperatures 454-455
resistant and nonresistant to hydrocyanic acid gas, rate of development as affected by temperature. Francis Munger 451-456
CALVERT, O. H., POUND, GLENN S., WALKER, J. C., STAHMANN, MARK A., and STAUFFER, J. F., JR.: Induced Variability in *Phoma lingam* 571-588
Calves—
dairy—
crossbred, growth, skeletal 462-464
crossbred, live weight growth 460-462
first-generation crossbred, growth. R. A. Hilder and M. H. Fohrman 457-469
purebred, growth, skeletal, standards 459
purebred, live weight, standards 459
Guernsey crosses, growth 467-469
Holstein × Guernsey, comparison with Red Dane × Guernsey 468
Holstein × Jersey—
live weight, growth 460
skeletal data 463
Holstein × Red Dane—
live weight data 461
skeletal data 464
Jersey × Holstein—
live weight growth 460
skeletal data 463
Jersey × Red Dane, live weight data 461
Red Dane × Holstein—
live weight data 461
skeletal data 464
Red Dane × Jersey—
live weight data 461
skeletal data 464
Cannabis sativa. *See* Hemp.
Carotene—
break-down in carrots, effect of temperature 500
contents of carrot seedlings 493-494
stability, effect of preharvest spray treatment 513-514
stability, effect of starch 506-507
Carotenes in carrot, changes with growth 492-494
Carotenoid break-down in stored dehydrated carrots 496
Carotenoids, stability in ground dehydrated carrots. C. R. Stocking and T. E. Weier 489-501
Carrots—
dehydrated—
diced, pigment break-down 511-512
ground, carotenoids in, stability. C. R. Stocking and T. E. Weier 489-501
influence of selected antioxidants. T. E. Weier and C. R. Stocking 503-515
pigment—
break-down in air storage 494-497
break-down in gas storage 497-499
break-down, rate in storage 494-499, 504-506
carotenoid, protection factors 489-490
determination 491-492
stability, effect of particle size 512-513
growth, pigment changes 492-494
preharvest spray treatment, effect on carotene stability 513-514
seedlings, carotene contents 493-494
CASH, LILLIAN, JOHNSON, A. G., and ROBERT, ALICE L.: Bacterial Leaf Blight and Stalk Rot of Corn 719-732
Cattle—
hays fed to, composition and digestible energy. T. G. Phillips and M. E. Loughlin 389-395
spinal canal, hypoderma larvae, occurrence in. Warren O. Haberman, Banner Bill Morgan, and Robert J. Dicke 637-640
Ceratostomella pilifera, development on—
wood treated with ethyl mercuric phosphate 697-699, 700
wood treated with sodium fluoride 697-698, 699
Chemicals, toleration by mold fungi 695-703
Chickens—
breeds, origin. D. C. Warren and Herman Smith 397-403
foramen magnum, structure 401

Page

Chickens—Continued
frontals, structure 398-401
hatchability in Rhode Island Reds as affected by age of parents. F. A. Hays and D. W. Talmadge 285-290
matings, identical, in successive years, effects on hatchability 287
Mediterranean group, characteristics 402
sex, relation to skull structure 400-401
types, more recent, derivation 402
Chickweed, Brazilian curly top, symptoms 685
CHIU, W. F., and WALKER, J. C.:
Morphology and Variability of the Cucurbit Black Rot Fungus 81-102
Physiology and Pathogenicity of the Cucurbit Black-Rot Fungus 589-615
Chlordane—
flavor in cooked potatoes, tests 481-482
soil treatment with, effect on palatability of potatoes, tests. Mary L. Greenwood and Jean Marie Tice 477-482
Chlorinated camphene—
flavor in cooked potatoes, tests 482
soils treated with, effect on palatability of potatoes, tests. Mary L. Greenwood and Jean Marie Tice 477-482
Cigarettes, low-nicotine, smoking, effects 179
Citron, tristeza disease, studies 222, 224
Citrullus vulgaris. *See* Watermelon.
Citrus—
carriers of tristeza virus 225
foliage, deposits of DDT after airplane applications 472-474
groves in Florida, DDT applications by airplane, effects. J. T. Griffiths, Jr., and C. R. Stearns, Jr 471-476
scion-stock combinations, susceptibility to tristeza 222-224, 230
tristeza disease. C. W. Bennett and A. S. Costa 207-237
varieties, susceptibility to tristeza 222-226, 230
See also Orange.
Clays, hydrogen-ion concentration, influence of drying 266
Clean-cultivated soils, structure maintenance, principle. Henry Hopp and Clarence S. Slater 347-352
Clover—
Alsike, infection with Wisconsin pea stunt virus 619
red, infection with Wisconsin pea stunt virus 619
Color, dark-red plant, in upland cotton, complementary factors. B. Lennart Johnson 535-543
COOK, HAROLD T.: Forecasting Late Blight Epiphytotics of Potatoes and Tomatoes 545-563
COOLEY, J. S., and KUSHMAN, L. J.: Effect of Heat on Black Rot and Keeping Quality of Sweetpotatoes 183-190
Corn, bacterial—
disease caused by *Bacterium holci*, description 730
diseases, comparison 730
leaf blight and stalk rot—
A. G. Johnson, Alice L. Robert, and Lillian Cash 719-732
comparison with other bacterial diseases 730-731
description 719-722
distribution and importance 719
organism—
cultural characters 723
identification 729-730
inoculations 725-729
isolation 723
morphology 724
physiological characters 724
stalk rots, two, comparison 730
wilt, comparison with bacterial leaf blight and stalk rot 730
Cornstalk rots, two, comparison 730
COSTA, A. S., and BENNETT, C. W.:
The Brazilian Curly Top of Tomato and Tobacco Resembling North American and Argentine Curly Top of Sugar Beet 675-693
Tristeza Disease of Citrus 207-237

Page

Cotton—
breeding program, variability and correlation. G. N. Stroman ... 353, 364
characters—
correlation ... 353–355, 361
mean, deviation, and coefficient of variability ... 356–357
relationship ... 357–361
correlation coefficients—
calculation ... 356–357
explanation ... 361
false motes, origin, description, and variations in number. Norma L. Pearson ... 705–717
fiber—
diameter, correlation with other characters ... 359, 360
diameter, measurement ... 355–356
length, indication ... 355
maturity, measurement ... 356
strength, measurement ... 355
fibers, percentage of 1⅛+, correlation with other characters ... 358
lint. *See* Lint.
multiple correlation coefficients ... 361
partial correlation coefficients ... 358–360
seed, basal bodies—
development ... 707
occurrence and description ... 705, 707
simple correlation coefficients ... 358–360
strength index, correlation with other characters ... 359, 360
upland—
dark-red character, inheritance ... 537–541
dark-red plant color, complementary factors. B. Lennart Johnson ... 535–543
dwarf-red character in Acala and Cook 912 ... 541–542
variability in breeding ... 356–357
yield, characters ... 357–360
Cottonseed hulls, ration containing, digestibility and metabolizability by lambs. R. M. Forbes and W. P. Garrigus ... 483–488
Cowpea—
redstem canker—
caused by *Phytophthora cactorum*. J. L. Weimer ... 65–75
fungus, cultural characteristics ... 70–72
fungus, life history ... 73
fungus, morphology ... 70–72
fungus, taxonomy ... 73–74
symptoms ... 65–67
varieties, inoculation with red stem canker fungus, results ... 70
Cream of tartar—
advantages in cooking potatoes ... 634–635
effect on color and texture of boiled potatoes ... 631–632
effect on flavor of boiled potatoes ... 632–634
Crops, response to protection of clean-cultivated soils ... 349
Crossbred dairy calves, first generation, growth. R. A. Hilder and M. H. Fohrman ... 457–469
Cucumber—
black rot after inoculation in field ... 612
disease caused by watermelon virus, effect of temperature ... 652–653
penetration by *Mycosphaerella melonis* ... 605–606
seedlings, inoculation with *Mycosphaerella melonis* ... 602–603
virus from watermelon, physical properties ... 655
Cucumis—
melo. *See* Muskmelon.
sativus. *See* Cucumber.
Cucurbit—
black rot—
development, experiments ... 600–601
development, relation to temperature ... 603–605
fungus—
cultural characters, variability ... 91
cultures, source and characteristics ... 82
growth, relation of medium to ... 94–95
isolation by dilution-plate method ... 93
monosporic isolations ... 91–92
morphology and variability. W. F. Chiu and J. C. Walker ... 81–102
mutation, induction by high temperature ... 98, 99
mutation, induction by irradiation ... 96–98, 99
mycelial cells, isolation ... 93–94

Page

Cucurbit—Continued
black rot—continued
fungus—continued
physiology and pathogenicity. W. F. Chiu and J. C. Walker ... 589–615
spore germination ... 91
sporulation, effect of irradiation ... 95–96, 100
sporulation, relation of medium to ... 94–95
taxonomic position ... 98
See also *Mycosphaerella cucumis*; *Mycosphaerella melonis*.
seedlings—
inoculation ... 607–608
susceptibility to black rot ... 601–603
Cucurbits, inoculation in field ... 608–612
Curing, definition ... 435–436, 439
Curly top—
Argentine, of sugar beet, resemblances of Brazilian curly top of tomato and tobacco to. C. W. Bennett and A. S. Costa ... 675–693
Brazilian—
geographic distribution ... 676
host range ... 676–679
of tomato and tobacco resembling North American and Argentine curly top of sugar beet. C. W. Bennett and A. S. Costa ... 675–693
plants infected experimentally ... 677–679
plants infected naturally ... 676–677
plants resistant to infection ... 678
symptoms on various hosts ... 679–685
transmission ... 685–686
vector, characteristics, distribution, and host range ... 686
virus—
description ... 691
incubation period in vector ... 687
proposed name ... 691
relation to North American and Argentine viruses ... 690–691
retention in vector, period ... 687–690
See also under Sugar beet.
Cuscuta spp. See Dodder.
Cytogenetic study of transfer of genes from *Triticum timopheevi* to common wheat by backcrossing. R. W. Allard ... 33–64
Cytology of reproduction in *Sorghum vulgare*. Ernst Artschwager and Ruth C. McGuire ... 659–673

DDT—
amount present after airplane spraying ... 472–474
applications, airplane, on citrus groves in Florida, effects. J. T. Griffiths, Jr., and C. R. Stearns, Jr ... 471–476
spray residue, removal from apples, problems. Kenneth C. Walker ... 383–387
DDT-sabadilla mixtures, toxicity with evidence of synergistic action, studies. J. T. Medler and H. E. Thompson ... 641–646
Dairy calves. *See* Calves, dairy.
Decay resistance of seven native oaks. Theodore C. Scheffer, George H. Englerth, and Catherine G. Duncan ... 129–152
DELWICHE, E. J., HARE, W. W., and WALKER, J. C.: Inheritance of a Gene for Near-Wilt Resistance in the Garden Pea ... 239–250
Derris—
constituents, chemical and biotic, effect of root diameter. C. Pagán and R. H. Hageman ... 417–423
root—
chemical value, effect of sun, shade, and oven-drying on. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413–416
diameter, effect on chemical and biotoxic constituents. C. Pagán and R. H. Hageman ... 417–423
toxicological value, effect of sun, shade, and oven-drying on. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413–416
roots—
chemical values, comparison with rotenone equivalent. Caleb Pagán and Arnaud J. Loustalot ... 197–205
rotenone equivalent, toxicological, comparison with chemical values. Caleb Pagán and Arnaud J. Loustalot ... 197–205

Page

Derris—Continued
samples, chemical analysis and rotenone equivalent 195
toxicity, comparisons with lonchocarpus 192-199
toxicological comparison with Lonchocarpus, further. Merriam A. Jones, Caleb Pagán, Edward R. McGovran, Wilbur A. Gersdorff, and Price G. Piquett 191-196
varieties—
chemical analyses by root diameters 419
toxicological assay by root diameters 419-420
values by diameter groups, comparison 421
Dew-retted hemp fiber, encrustants from, chemical removal. Lyle E. Hessler 153-169
DICKE, ROBERT J.,—
HABERMAN, WARREN O., and MORGAN, BANNER BILL: The Occurrence of Hypoderma Larvae in the Spinal Canal of Cattle 637-640
HOPE, ARTHUR L., BRAY, ROBERT W., and HANNING, FLORA: Investigation of Rotenone and Benzene Hexachloride Dusts for the Control of Insect Ectoparasites on Sheep 565-569
Digestibility by lambs of standard ration of alfalfa and corn and one containing cottonseed hulls. R. M. Forbes and W. P. Garrigus 483-488
Dodder—
infection of non-citrus plants, experiments 216
transmission of tristeza virus 215-217
DOLNICK, ETHEL H.: Development of Pigment in the Fur Fibers of Agouti-Colored Rabbits 517-534
Dopa test for melanin 530-531
Drying, soils, effect on buffering, relation to aggregation and other factors. R. M. Smith and D. R. Browning 263-284
DUNCAN, CATHERINE G., SCHEFFER, THEODORE C., and ENGLERTH, GEORGE H.: Decay Resistance of Seven Native Oaks 129-152
Dusts, rotenone and benzene hexachloride, for control of insect ectoparasites on sheep, investigation. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning 565-569

Earthworm populations, response to soil protection 349
Earthworms, effect on productivity of agricultural soil. Henry Hopp and Clarence S. Slater 325-339
East Lansing, Mich., weather conditions, 1945-46, summary 254-255
Ectoparasites, insect, on sheep, control by rotenone and benzene hexachloride dusts, investigation. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning 565-569
EISENSTARK, A., ROBERTS E., and ALBERTS, J. O.: Effect of Sodium Sulfamerazine on *Salmonella pullorum* 291-294
Embryo development in sorghum 659, 667-669
Embryos, chicken—
full-term live, failure to emerge 288-289
mortality, relation to age of parents 287-288
Endoconidiophora fimbriata, cause of black rot of sweetpotatoes 183
Energy—
digestible, of hays fed to cattle. T. G. Phillips and M. E. Loughlin 389-395
gross value of urine of lambs, calculation method 485
metabolizable—
in rations for lambs, calculation methods 484, 485, 487
in rations for lambs, data 485
ENGLERTH, GEORGE H., SCHEFFER, THEODORE C., and DUNCAN, CATHERINE G.: Decay Resistance of Seven Native Oaks 129-152
Enzyme—
preparations used for vacuum infiltration of vanilla, activities 442, 443
system in vanilla 436-439
Enzymes, oxidizing, of vanilla bean 436-439

Page

Epilachna varivestis. *See* Bean beetle, Mexican.
Epiphytotics, late blight, of potatoes and tomatoes, forecasting. Harold T. Cook 545-563
ERICKSON, HARVEY D.: Relation of Specific Gravity to Shrinkage and of These Factors to Growth in Yellow Poplar 103-127
ETCHELLS, JOHN L., and JONES, IVAN D.: Bacteriological Changes During the Fermentation of Steamed Potatoes for Silage 19-31
Ethyl mercuric phosphate, tolerance of—
Ceratostomella pilifera to 699, 700
Penicillium to 696-697, 699-701, 702
Eutypa heteracantha, description and association 372

Feed, cattle, composition and digestible energy of hays. T. G. Phillips and M. E. Loughlin 389-395
Feeds, crude fiber content, relation to digestibility of organic matter 393-394
Fermentation, steamed potatoes—
for silage, bacteriological changes. John L. Etchells and Ivan D. Jones 19-31
micro-organism population 25-27
micro-organisms, predominating groups 27-29
progress in bacterial populations 29-30
temperature changes 24-25
Fertilization in sorghum 665-667
Fertilizer, effect of dead earthworms 334, 335, 337
Fibers, fur, characteristics 517
Flax, Brazilian curly top, symptoms 683
Florida—
citrus groves, airplane DDT applications, effects. J. T. Griffiths, Jr., and C. R. Stearns, Jr 471-476
red scale—
DDT applications, deleterious effects, factors 475
parasites after DDT applications 474-475
FOHRMAN, M. H., and HILDER, R. A.: Growth of First-Generation Crossbred Dairy Calves 457-469
FORBES, R. M., and GARRIGUS, W. P.: The Digestibility and Metabolizability by Lambs of a Standard Ration of Alfalfa and Corn and One Containing Cottonseed Hulls 483-488
Forecasting late blight epiphytotics of potatoes and tomatoes. Harold T. Cook 545-563
Fowls. *See* Chickens.
Frost, action on water-stability of soils. Clarence S. Slater and Henry Hopp 341-346
Fungi associated with mimosa wilt 371-372
Fur fibers—
characteristics 517
of agouti-colored rabbits, pigment development. Ethel H. Dolnick 517-534
Fusaria—
associated with mimosa wilt, sumac wilt, and pine pitch canker. William C. Snyder, E. Richard Toole, and George H. Hepting 365-382
morphologic clones in nature, multiplicity 379
on *Albizzia*, studies 366-372
Fusarium—
albizziae, previous name of wilt fusarium 367
decemcellulare, description and association 371
episphaeria, description and association 371
lateritium—
description 371
f. *pini* clones 378
f. *pini* cultures, effect of different environments 379
f. *pini* form. nov., cause of pine pitch canker 378
oxysporum—
f. *perniciosum*—
clones, description 369
cultures, effects of different environments 379
description 371
isolation from mimosa 368-369
name suggested and proposed for wilt pathogene 367-368
similarity to *F. oxysporum* f. *rhois* 374-375
variability 369

Page

Fusarium—Continued
oxysporum—Continued
f. pisi race 2, cause of near-wilt of garden pea 239
f. rhois, form. nov., cause of wilt of sumac 374
f. rhois, form. nov., variability 374
f. rhois, similarity to *F. oxysporum f. perniciosum* 374–375
Hepting, name previously applied 367
perniciosum, name previously applied to wilt fusarium 367
roseum—
description and association 371–372
from pine 378
single-spore cultures 366
solani, description and association 371
spp.—
clones, isolation techniques 378
identification, requirements 366
sporodochia, production 366

GAINEY, P. L.: Effect of Inoculating a Soil with *Azotobacter* upon Plant Growth and Nitrogen Balance 405–411
GARRIGUS, W. P., and FORBES, R. M.: The Digestibility and Metabolizability by Lambs of a Standard Ration of Alfalfa and Corn and One Containing Cottonseed Hulls 483–488
Gas storage, effect on ground dehydrated carrots 498–499
Gene for near-wilt resistance in garden pea, inheritance. W. W. Hare, J. C. Walker, and E. J. Delwiche 239–250
Genes, transfer from *Triticum timopheevi* to common wheat by backcrossing, cytogenetic study. R. W. Allard 33–64
Genetics of mosaic resistance in *Nicotiana glutinosa*. W. D. Valleau 77–79
GERSDORFF, WILBUR A., JONES, MERRIAM A., PAGÁN, CALEB, MCGOVRAN, EDWARD R., and PIQUETT, PRICE G.: A Further Toxicological Comparison of Derris and Lonchocarpus 191–196
GORENZ, A. M., LARSON, R. H., and WALKER, J. C.: Factors Affecting Pathogenicity of Pink Root Fungus of Onions 1–18
Gossypium hirsutum. *See* Cotton, upland.
Grapefruit, tristeza disease studies 222–225, 227, 228, 231–234
GREENWOOD, MARY L., and TICE, JEAN MARIE: Palatability Tests on Potatoes Grown in Soil Treated with the insecticides Benzene Hexachloride, Chlordane, and Chlorinated Camphene 477–482
GRIFFITHS, J. T., JR., and STEARNS, C. R., JR.: The Effects of Airplane DDT Applications on Citrus Groves in Florida 471–476
Groves sprayed with DDT, parasitic and predaceous populations 474–475
Guernsey crosses, weight averages 468

HABERMAN, WARREN O., MORGAN, BANNER BILL, and DICKE, ROBERT J.: The Occurrence of Hypoderma Larvae in the Spinal Canal of Cattle 637–640
HAGEDORN, D. J., and WALKER, J. C.: Wisconsin Pea Stunt, a Newly Described Disease 617–626
HAGEMAN, R. H.:
and PAGÁN, CALEB: Effect of Root Diameter on Chemical and Biotoxic Constituents of Derris 417–423
PAGÁN, CALEB, and LOUSTALOT, ARNAUD J.: The Effect of Sun, Shade, and Oven-Drying on the Toxicological and Chemical Values of Derris Root 413–416
HANNING, FLORA—
and BOWMAN, FERNE: Procedures That Reduce Darkening of Cooked Potatoes 627–636
DICKE, ROBERT L., POPE, ARTHUR L., and BRAY, ROBERT W.: Investigation of Rotenone and Benzene Hexachloride Dusts for the Control of Insect Ectoparasites on Sheep 565–569

Page

HARE, W. W.—
Tip Blight of Garden Pea 311–324
WALKER, J. C., and DELWICHE, E. J.: Inheritance of a Gene for Near-Wilt Resistance in the Garden Pea 239–250
Hatchability in Rhode Island Reds as Affected by Age of Parents. F. A. Hays and D. W. Talmadge 285–290
Hay production, effect of earthworms 331–333, 334–337
HAYS, F. A., and TALMADGE, D. W.: Hatchability in Rhode Island Reds as Affected by Age of Parents 285–290
Hays—
composition and digestibility 391
constituents, digestibility, regression equations 392
digestibility and composition 391
fed to cattle, composition and digestible energy. T. G. Phillips and M. E. Loughlin 389–395
Heat, effect on black rot and keeping quality of sweetpotatoes. L. J. Kushman and J. S. Cooley 183–190
Hemp fiber, dew-retted, chemical removal of encrustants from. Lyle E. Hessler 153–159
HEPTING, GEORGE H., SNYDER, WILLIAM C., and TOOLE, E. RICHARD: Fusaria Associated with Mimosa Wilt, Sumac Wilt, and Pine Pitch Canker 365–382
HESSLER, LYLE E.: Chemical Removal of Encrustants from Dew-Retted Hemp Fiber 153–159
Heterosis in dairy cattle, study 457–469
HILDER, R. A., and FOHRMAN, M. H.: Growth of First-Generation Crossbred Dairy Calves 457–469
HOPP, HENRY, and SLATER, CLARENCE S.: A Principle for Maintaining Structure in Clean-Cultivated Soils 347–352
The Action of Frost on the Water-Stability of Soils 341–346
The Effect of Earthworms on the Productivity of Agricultural Soil 325–339
Hordeum. *See* Barley.
Horseradish—
leaf morphology, effect of temperature 163
mosaic—
symptoms, effect of temperature 163
virus concentration in horseradish, effect of temperature 164–168
virus concentration in rape, effect of temperature 168
virus inactivation efforts 168–169
mosaic-infected, virus concentration and leaf morphology, effect of air temperature. Glenn S. Pound 161–170
plants—
hot air treatments for mosaic control 168–169
hot water treatments for mosaic control 168–169
Houseflies—
susceptibility to DDT-sabadilla mixtures 641–646
toxicity of derris and lonchocarpus to, comparison 192
Humidity data for forecasting late blight epiphytotics 546, 561
Hydrocyanic acid gas, California red scales resistant and nonresistant to, rate of development as affected by temperature. Francis Munger 451–456
Hydrogen-ion concentration—
effect upon color of boiled potatoes 630–631
Mycosphaerella melonis, relation to growth and sporulation 598–600
relations of *Pyrenochaeta terrestris* isolates 2, 11–13
soils and clays, influence of drying 266
Hypoderma—
bovis, collections from spinal canal of cattle 638–639
larvae, occurrence in spinal canal of cattle. Warren O. Haberman, Banner Bill Morgan, and Robert J. Dicke 637–640
lineatum, collections from spinal canal of cattle 638–639

Ice cream, vanilla, organoleptic tests 426–427, 429–430, 432, 433
Illinois pisi, transmission of Wisconsin pea stunt virus 618, 624–625

Page

Inheritance of—
dark-red character in upland cotton 537–541
gene for near-wilt resistance in garden pea. W. W. Hare, J. C. Walker, and E. J. Delwiche 239–250
Insect ectoparasites on sheep, control by rotenone and benzene hexachloride dusts, investigation. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning 565–569
Insecticides, benzene hexachloride, chlordane, and chlorinated camphene, effect on palatability of potatoes. Mary L. Greenwood and Jean Marie Tice 477–482
Ipomoea batatas. *See* Sweetpotatoes.
Irradiation, ultraviolet, of *Phoma lingam* ... 580–580
dl-Isoleucine, effect on tobacco seedlings. 734–739, 74

Jimsonweed, Brazilian curly top, symptoms. 68
JOHNSON, A. G., ROBERT, ALICE L., and CASH, LILLIAN: Bacterial Leaf Blight and Stalk Rot of Corn 719–732
JOHNSON, B. LENNART: Complementary Factors for Dark-Red Plant Color in Upland Cotton 535–543
JONES, IVAN D., and ETCHELLS, JOHN L.: Bacteriological Changes During the Fermentation of Steamed Potatoes for Silage. 19–31
JONES, MERRIAM A.—
and VICENTE, GILDA C.:
Criteria for Testing Vanilla in Relation to Killing and Curing Methods 425–434
Inactivation and Vacuum Infiltration of Vanilla Enzyme Systems 435–443
Quality of Cured Vanilla in Relation to Some Natural Factors 445–450
PAGÁN, CALEB, MCGOVRAN, EDWARD R., GERSDORFF, WILBUR A., and PIQUETT, PRICE G.: A Further Toxicological Comparison of Derris and Lonchocarpus 191–196

Ked, control by rotenone and benzene hexachloride dusts, investigation 565–569
KNOBLOCH, IRVING WILLIAM: Some Aspects of the Longitudinal Growth of Bromegrass Fruits 251–256
Kumquat, tristeza disease 224
KUSHMAN, L. J., and COOLEY, J. S.: Effect of Heat on Black Rot and Keeping Quality of Sweetpotatoes 183–190

Lamb—
contamination by insecticides, study 565–569
from dusted animals, palatability 567–568
Lambs—
ectoparasites, control by rotenone and hexachloride dusts 565–569
rations, alfalfa and corn and cottonseed hulls, digestibility and metabolizability. R. M. Forbes and W. P. Garrigus 483–488
LARSON, R. H., GORENZ, A. M., and WALKER, J. C.: Factors Affecting Pathogenicity of Pink Root Fungus of Onions .. 1–18
Late blight epiphytotics—
forecasting—
charts, area covered 556–557, 561
charts, preparation 547–559, 561–562
charts, use 551, 553–554, 560–562
in eastern Virginia 554–556
Virginia method 547–551
weather data 546–562
of potatoes and tomatoes, forecasting. Harold T. Cook 545–563
Leaf—
blight, bacterial, and stalk rot of corn. A. G. Johnson, Alice L. Robert, and Lillian Cash 719–732
morphology of mosaic-infected horseradish, effect of air temperature on. Glenn S. Pound 161–170
rust resistance in *Triticum* strains 45, 60
Leafhoppers, transmission of Brazilian curly top, tests 685–686
Lemon, tristeza studies 208, 223, 224, 225, 228, 231, 232, 234
Lenzites trabea, damage to wood 132, 134
Lice on sheep, control by rotenone and benzene hexachloride, dusts, investigation 565–569

Page

Light recorders, description 258
Lignin, effect on digestibility, discussion 486
Lime, tristeza disease studies 222–225, 228, 232
Lint—
classer's length, correlation with other characters 359
index, correlation with other characters ... 358
length, characters 360
percentage, correlation with other characters 358
yield, indication 355
Liriodendron tulipifera. *See* Poplar, yellow.
Lonchocarpus—
roots—
chemical values, comparison with rotenone equivalent. Caleb Pagán and Arnaud J. Loustalot 197–205
rotenone, toxicological equivalent, comparison with chemical value. Caleb Pagán and Arnaud J. Loustalot 197–205
samples, chemical analysis and rotenone equivalent 195
toxicological comparison with derris, further. Merriam A. Jones, Caleb Pagán, Edward R. McGovran, Wilbur A. Gersdorff, and Price G. Piquett 191–196
LOUGHLIN, M. E., and PHILLIPS, T. G.: Composition and Digestible Energy of Hays Fed to Cattle 389–395
Louse, chewing, control 565–569
LOUSTALOT, ARNAUD J.—
and PAGÁN, CALEB: Comparison of Chemical Values with the Toxicological Rotenone Equivalent of Derris and Lonchocarpus Roots 197–205
PAGÁN, CALEB, and HAGEMAN, RICHARD H.: The Effect of Sun, Shade, and Oven-Drying on the Toxicological and Chemical Values of Derris Root 413–416
Lumber, molds favored by certain toxicants. 695–703
Lycopersicon esculentum. *See* Tomato.
Lygus oblineatus, susceptibility to DDT-sabadilla mixtures 641–646

Mandarin, tristeza disease, studies. 223, 224, 232, 234
MCGOVRAN, EDWARD R., JONES, MERRIAM A., PAGÁN, CALEB, GERSDORFF, WILBUR A., and PIQUETT, PRICE G.: A Further Toxicological Comparison of Derris and Lonchocarpus 191–196
MCGUIRE, RUTH C., and ARTSCHWAGER, ERNST: Cytology of Reproduction in *Sorghum vulgare* 659–673
MEDLER, J. T., and THOMPSON, H. E.: Toxicity Studies of DDT-Sabadilla Mixtures with Evidence of Synergistic Action. 641–646
Melanin—
dopa test 530–531
in fur of agouti-colored rabbit 520, 523, 530
Melilotus. *See* Sweetclover.
Melophagus ovinus, control by rotenone and benzene hexachloride dusts 565
Metabolizability by lambs of standard ration of alfalfa and corn and one containing cottonseed hulls. R. M. Forbes and W. P. Garrigus 483–488
Methyl-bis (B-chloroethyl) amine. *See* Nitrogen-mustard gas.
Mildew, resistance in *Triticum vulgare* × *T. timopheevi* back-crossed strains 59, 60
Millet production, effect of earthworms .. 327–328, 334–337
Mimosa—
wilt—
fungi associated with 371–372
fusaria associated with. William C. Snyder, E. Richard Toole, and George H. Hepting 365–382
fusarium, name accepted 368
fusarium, names previously applied 367–368
pathogen, similarity to sumac wilt fungus 374–375
See also *Albizzia*.
Moisture, effect on infection of pea by tip blight 318–323
Molds on wood favored by certain toxicants. Arthur F. Verrall 695–703

Page

MORGAN, BANNER BILL, HABERMAN, WARREN O., and DICKE, ROBERT J.: The Occurrence of Hypoderma Larvae in the Spinal Canal of Cattle ... 637-640
Mortality, embryonic, relation to age of parents ... 287-288
Mosaic—
disease of watermelon incited by tobacco ringspot virus ... 647-658
resistance in *Nicotiana glutinosa*, genetics. W. D. Valleau ... 77-79
Mosaic-infected horseradish, virus concentration and leaf morphology, effect of air temperature on. Glenn S. Pound ... 161-170
Mulch, hay, use in protection of soil ... 348-351
MUNGER, FRANCIS: Rate of Development of California Red Scales Resistant and Nonresistant to Hydrocyanic Acid Gas, as Affected by Temperature ... 451-456
Musca domestica. *See* Houseflies.
Muskmelon—
black rot after inoculation in field ... 612
mosaic disease caused by watermelon virus, symptoms ... 648, 654
virus disease ... 647
Mycosphaerella—
ascigerous stage ... 86-87
cucumis—
fruiting bodies, development ... 87-91
nov. comb., cause of cucurbit black rot. 82, 98, 99
nov. comb., synonymy ... 98
sporulation, effect of agar media ... 94
variants, measurements of pycnidia and pycnospores ... 84
See also Cucurbit black rot fungus.
measurements of perithecia, asci, and ascospores ... 87
melonis—
growth, relation to temperature ... 598, 612
overwintering ... 600
pathogenicity to squash ... 600-601, 607
pathogenicity to watermelon ... 600-601
pathogenicity variation ... 607, 613
penetration mode ... 605-606
pH, relation to growth and sporulation ... 598-600
pycnospore germination, effect of mineral salts ... 596
pycnospore germination, relation to nutrient solution ... 594
spore germination ... 590-594
strains, cultural characteristics ... 590
toxicity of mineral salts ... 594-598
See also Cucurbit black rot fungus.
pycnidial stage ... 82-86

1,4 Naphthoquinone, effect on pigment in carrots ... 508, 509, 511
Near-wilt—
occurrence in F_2 progenies from crosses ... 242
of pea, testing technique ... 246, 248, 249
organism, concentrated inoculum, application ... 245
resistance in garden pea, gene for, inheritance. W. W. Hare, J. C. Walker, and E. J. Delwiche ... 239-250
soil, reactions of resistant progenies on ... 244-246
New Mexico Agricultural Experiment Station, cotton breeding program ... 353
Nicotiana—
glutinosa, resistance to mosaic, genetics. W. D. Valleau ... 77-79
tabacum. *See* Tobacco.
Nitrogen balance, effect of inoculating soil with *Azotobacter*. P. L. Gainey ... 405-411
Nitrogen-mustard gas—
treatment of *Phoma lingam*, method ... 572
treatment of *Phoma lingam*, results ... 572-574
Nordihydroguaiaretic acid, efficacy in protection of carrot pigments ... 508, 511
Nornicotine content of low-nicotine tobacco ... 175-178

Oak—
red, decay resistance ... 129-152
species—
decay resistance, relative ... 133-135
from same localities, weight loss, averages ... 145
test specimens, obtaining ... 130-132

Page

Oak—Continued
tree size, relation to decay resistance ... 145-146
white, decay resistance ... 129-152
wood—
specific gravity, relation to decay resistance ... 150
weight loss caused by decay, comparison by species, regions, and localities ... 138-141
Oaks—
decay resistance—
by tree, locality, and region, analysis of variance ... 142-143
locality and regional differences ... 137-145
relation to size of tree ... 145-146
relation to specific gravity of wood ... 150
testing, procedure ... 132-133
tests, materials and methods ... 130-133
variability in same species ... 135-137
variability within individual trees ... 146-150
seven native, decay resistance. Theodore C. Scheffer, George H. Englerth, and Catherine G. Duncan ... 129-152
Onion—
plants, resistance to pink root, test, standardized technique ... 16-17
varieties, reaction to isolates of *Pyrenochaeta terrestris* ... 14-16, 17
Onions, pink root—
disease—
development—
effect of initial pH ... 12-13
relation to concentration of inoculum ... 5-6, 17
relation to isolates and sand temperature ... 11
indices in unsterilized soil and inoculated sand ... 16
fungus—
pathogenicity, factors affecting. A. M. Gorenz, R. H. Larson, and J. C. Walker ... 1-18
See also *Pyrenochaeta terrestris*.
Orange—
trees—
greenhouse-grown, inoculation with tristeza ... 215
infection by tristeza, transmission tests ... 221
juice inoculations ... 215
nursery-grown, inoculation with tristeza ... 212-215
tristeza transmission by insects ... 209, 218-221
tristeza transmission by tissue union ... 217
See also Citrus.
Oranges—
sour, susceptibility to tristeza, comparison with sweet ... 226
sweet, susceptibility to tristeza, comparison with sour ... 226
Oriental citrus aphid. See *Aphis citricidus*.
Oryctolagus cuniculus. *See* Rabbit, agouti-colored.
Oven-drying, effect on toxicological and chemical values of derris root. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413-416
Oxalis, Brazilian curly top infection ... 684

PAGÁN, CALEB:
and HAGEMAN, R. H.: Effect of Root Diameter on Chemical and Biotoxic Constituents of Derris ... 417-423
and LOUSTALOT, ARNAUD J.: Comparison of Chemical Values with the Toxicological Rotenone Equivalent of Derris and Lonchocarpus Roots ... 197-205
HAGEMAN, RICHARD H., and LOUSTALOT, ARNAUD J.: The Effect of Sun, Shade, and Oven-Drying on the Toxicological and Chemical Values of Derris Root ... 413-416
JONES, MERRIAM A., MCGOVRAN, EDWARD R., GERSDORFF, WILBUR A., and PIVUETT, PRICE G.: A Further Toxicological Comparison of Derris and Lonchocarpus ... 191-196
Palatability tests on potatoes grown in soil treated with benzene hexachloride, chlordane, and chlorinated camphene. Mary L. Greenwood and Jean Marie Tice ... 477-482

Page

Paper, black asphalt roofing, use in protection of soil ... 348–351
Parasites, insect, on sheep, control by rotenone and benzene hexachloride dusts, investigations ... 565–569
Parents—
female, age, relation to hatchability ... 286–287
male, age, relation to hatchability ... 285–286
Rhode Island Red, age, effect on hatchability. F. A. Hays and D. W. Talmadge ... 285–290
Pea—
aphid, transmission of Wisconsin pea stunt virus ... 618, 624–625
breeding for resistance to near wilt, testing technique ... 246, 248, 249
canning crops, near-wilt resistance ... 241, 249
common mosaic virus group, contrast with Wisconsin pea stunt virus ... 625
crosses between resistant and susceptible lines ... 242
Delwiche Commando, origin and value ... 241
disease caused by watermelon virus ... 648–651
enation mosaic-virus group, contrast with Wisconsin pea stunt virus ... 625
garden—
infection by tip blight, effect of moisture and temperature ... 318–323
near-wilt resistance, gene for, inheritance. W. W. Hare, J. C. Walker, and E. J. Delwiche ... 239–250
tip blight. W. W. Hare ... 311–324
heterozygous F_2 plants, reaction of F_4 families from ... 243, 244
inoculation with Wisconsin pea stunt virus ... 617–618
line 738–49—
characteristics ... 241, 242, 249
derivation ... 241
progenies, susceptible plants discarded ... 244
resistance to near-wilt secondary type ... 248
resistant to near-wilt—
breeding ... 240–242, 249
greenhouse tests ... 246–248, 249
hybrid progenies, field trials ... 241–246
segregating progenies, classification accuracy ... 248–249
stunt—
mosaic, contrast with Wisconsin pea stunt ... 625
Wisconsin. *See* Wisconsin pea stunt.
varietal susceptibility to Wisconsin pea stunt ... 623
wilt virus, contrast with Wisconsin pea stunt virus ... 625–626
Pearson, Norma L.: False Motes in Cotton: Their Origin, Description, and Variations in Number ... 705–717
Penicillium, development on wood treated with ethyl mercuric phosphate ... 696–697, 699–701, 702
pH. *See* Hydrogen-ion concentration.
Phillips, T. G., and Loughlin, M. E.: Composition and Digestible Energy of Hays Fed to Cattle ... 389–395
Phoma lingam—
monochromatic irradiation ... 580–581
mutants—
cultural characters, range of variation ... 575–577
description ... 575–580
induced by nitrogen-mustard gas, comparison ... 575
induction by nitrogen-mustard gas, results ... 572–574
pathogenicity tests ... 577–580
polychromatic irradiation ... 581–585
variability—
caused by unfavorable media ... 586
caused by unfavorabe temperatures ... 585–586
induced. O. H. Calvert, Glenn S. Pound, J. C. Walker, Mark A. Stahmann, and J. F. Stauffer, Jr. ... 571–588
induced by ultraviolet irradiation ... 580–585
Phytophthora cactorum—
cause of red stem canker of cowpea. J. L. Weimer ... 65–75
isolations and inoculations ... 67–70

Page

Pigment development in fur fibers of agouti-colored rabbits. Ethel H. Dolnick ... 517–534
Pigments—
in carrots—
amount, initial and after storage ... 507
break-down, effect of temperature ... 500
break-down in storage ... 494–499
changes with growth ... 492–494
degradation, effect of preprocessing storage ... 507
degradation, effect of starch ... 506–507
effects of antioxidants ... 507–511
protection, agency of $Na_2S_2O_4$ ... 508, 510, 511–512
individual, in dehydrated carrots, degradation ... 496–497
Pine—
molds favored by certain toxicants ... 695–703
pitch canker—
fusaria associated with. William C. Snyder, E. Richard Toole, and George H. Hepting ... 365–382
fusarium in culture ... 375–377
fusarium, natural distribution ... 375
fusarium, taxonomy ... 378
Pink root fungus of onions—
pathogenicity, factors affecting. A. M. Gorenz, R. H. Larson, and J. C. Walker ... 1–18
See also *Pyrenochaeta terrestris*.
Piquett, Price G., Jones, Merriam A., Pagán, Caleb, McGovran, Edward R., and Gersdorff, Wilbur A.: A Further Toxicological Comparison of Derris and Lonchocarpus ... 191–196
Pisum sativum. *See* Pea, garden; Peas.
Plant growth, effect of inoculating soil with *Azotobacter*. P. L. Gainey ... 405–411
Plants, greenhouse, symptoms produced by watermelon virus ... 654–655
Plots protected over winter, soil-structural condition ... 349–351
Pollen—
of sorghum, germination ... 665–666
tubes of sorghum, growth ... 666
Polymerization, hemp fiber ... 154–158
Polyporus versicolor, damage to oak ... 133, 135, 148, 150
Pope, Arthur L., Dicke, Robert L., Bray, Robert W., and Hanning, Flora: Investigation of Rotenone and Benzene Hexachloride Dusts for the Control of Insect Ectoparasites on Sheep ... 565–569
Pope, M. N.: Viviparous Growth in Immature Barley Kernels ... 295–309
Poplar, yellow—
age and specific gravity ... 117–118
test blocks, obtaining and measurement ... 104–106
correlation, partial, analysis ... 121
crown-surface relationships ... 120–121
growth—
rate, changing, effect ... 119
relation of specific gravity and shrinkage to. Harvey D. Erickson ... 103–127
regression equations and correlation coefficients ... 107, 111, 113, 115, 116
rings per inch and—
radial shrinkage ... 113
specific gravity ... 106–110
tangential shrinkage ... 111–113
volumetric shrinkage ... 110–111
shrinkage—
longitudinal ... 122
values ... 125
specific gravity—
and radial shrinkage ... 116–117
and shrinkage of wood near pith ... 118–119
and tangential shrinkage ... 115–116
and volumetric shrinkage ... 113–115
of wood from north and south sides of tree ... 121–122
Poria monticola, damage to wood ... 132, 133, 134, 137, 144, 148
Potato late blight, epiphytotics, forecasting. Harold C. Cook ... 545–563
Potatoes—
blackening after cooking, occurrence ... 627
boiled—
effect of cream of tartar ... 631–634
influence of pH ... 630–631

Page

Potatoes—Continued
cooked—
color scores, influence of pH ... 630–631
darkening, reduction procedures. Ferne Bowman and Flora Hanning ... 627–636
cooking—
acid treatment for blackening ... 628, 630–635
and evaluation for darkening ... 629–630
grown in soil treated with benzene hexachloride, chlordane, and chlorinated camphene, palatability tests. Mary L. Greenwood and Jean Marie Tice ... 477–482
micro-organisms present before and after steaming ... 23
steamed, fermentation—
for silage, bacteriological changes during. John L. Etchells and Ivan D. Jones ... 19–31
microscopic counts ... 29–30
temperature changes ... 24–25
steaming—
effect on surface organisms ... 24
for silage ... 21
Poultry—
hatchability in Rhode Island Reds as affected by age of parents. F. A. Hays and D. W. Talmadge ... 285–290
See also Chickens.
POUND, GLENN S.:
A Virus Disease of Watermelon in Wisconsin Incited by the Tobacco Ringspot Virus ... 647–658
The Effect of Air Temperature on Virus Concentration and Leaf Morphology of Mosaic-Infected Horseradish ... 161–170
CALVERT, O. H., WALKER, J. C., STAHMANN, MARK A., and STAUFFER, J. F., JR.: Induced Variability in *Phoma lingam* ... 571–588
Pseudomonas alboprecipitans, cause of bacterial leaf blight and stalk rot of corn ... 730, 731
Puccinia—
graminis, resistance to in wheat strains ... 45–47, 58–59, 60–61
triticina, resistance to in wheat strains ... 45, 60
Puerto Rico, altitudes, effect on quality of vanilla beans ... 448–449
Pyrenochaeta terrestris—
inoculum—
concentration, relation to disease development ... 5–6, 17
preparation ... 2–3
isolates—
and sand temperature, relation to disease development ... 11
development, relation to temperature ... 9–11
hydrogen-ion relations ... 2, 11–13
pathogenicity, variation ... 6–9, 17
reaction of onion varieties to ... 14–16, 17
sporulating capacity ... 2
pathogenicity, disease classes ... 5
Pyrogallol, efficacy in protection of carrot pigments ... 508–513
Pythium—
debaryanum, effect on garden pea above ground ... 317–318
spp., pathogenicity to garden pea ... 316–318
ultimum—
cause of tip blight of garden pea ... 311, 317
infection of pea, effect of moisture and temperature ... 318–323

Rabbits, agouti-colored—
fur pigments, study methods ... 518–519
hair pigmentation—
in adults ... 524–527
in fetus ... 519–522
in juveniles ... 522–523
pigment—
development in fur fibers. Ethel H. Dolnick ... 517–534
pattern ... 518
skin pigment ... 528–530
Rainfall data for forecasting late blight epiphytotics ... 546–562
Rape, horseradish virus concentration, effect of temperature ... 168–169

Page

Rations, alfalfa and corn and cottonseed hulls, digestibility and metabolizability by lambs. R. M. Forbes and W. P. Garrigus ... 483–488
Red—
scale—
California. *See* California red scales.
Florida. *See* Florida red scale.
stem canker of cowpea caused by *Phytophthora cactorum*. J. L. Weimer ... 65–75
Regression—
in cytology and fertility in *Triticum* ... 47–52
morphological in *Triticum* ... 41–45
Reproduction in *Sorghum vulgare*, cytology. Ernst Artschwager and Ruth C. McGuire ... 659–673
Residue, spray, DDT, removal from apples, problems. Kenneth C. Walker ... 383–387
Resistance, near-wilt, in garden pea, gene for. W. W. Hare, J. C. Walker, and E. J. Delwiche ... 239–250
Rhode Island Reds, hatchability as affected by age of parents. F. A. Hays and D. W. Talmadge ... 285–290
Rhus typhina. *See* Sumac.
ROBERT, ALICE L., JOHNSON, A. G., and CASH, LILLIAN: Bacterial Leaf Blight and Stalk Rot of Corn ... 719–732
ROBERTS, E., EISENSTARK, A., and ALBERTS, J. O.: Effect of Sodium Sulfamerazine on *Salmonella pullorum* ... 291–294
ROBINSON, WILLARD B.: The Effect of Sunlight on the Ascorbic Acid Content of Strawberries ... 257–262
Rotenone—
content of derris root, diameter study ... 419–422
dusts for control of insect ectoparasites on sheep, investigation. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning ... 565–569
equivalent—
biological, of derris, comparisons ... 200, 203
of derris and lonchocarpus samples ... 195
toxicological and analytical values of derris and lonchocarpus ... 200
toxicological comparison with chemical values of derris and lonchocarpus roots. Caleb Pagán and Arnaud J. Loustalot ... 197–205
toxicity, comparison of derris and lonchocarpus ... 191–196
Ruga verrucosans var. *brasiliensis* n. var.—
description ... 691
occurrence and damage ... 691
Rust resistance in *Triticum* strains ... 45–47, 58–59, 60–61

Sabadilla-DDT mixtures, toxicity studies. J. T. Medler and H. E. Thompson ... 641–646
Salmonella pullorum, effect of sodium sulfamerazine on. E. Roberts, A. Eisenstark, and J. O. Alberts ... 291–294
Sapwood, molds favored by certain toxicants ... 695–703
SCHEFFER, THEODORE C., ENGLERTH, GEORGE H., and DUNCAN, CATHERINE G.: Decay Resistance of Seven Native Oaks ... 129–152
Sex of chickens, relation to skull structure ... 400–401
Shaddock, tristeza disease studies ... 223, 224, 231
Shade, effect on toxicological and chemical values of derris root. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413–416
Sheep, insect ectoparasites, control by rotenone and benzene hexachloride dusts, investigation. Robert J. Dicke, Arthur L. Pope, Robert W. Bray, and Flora Hanning ... 565–569
Silage—
fermentation of steamed potatoes for, bacteriological changes during. John L. Etchells and Ivan D. Jones ... 19–31
steamed potato—
acidity, titratable and pH ... 24
analysis ... 22–23

Page

Silage—Continued
steamed potato—continued
fermentation, micro-organism population during 25–27
fermentation, temperature changes during 24–25
making 21–22
micro-organisms, predominating groups 27–29, 30
microscopic counts 24
quality 30
sampling technique 22
Silo—
experimental trench, construction 21
filling with steamed potatoes 21–22
Silver nitrate, effect on germination of *Mycosphaerella melonis* 598
Skull structure in chicken varieties 398–401
SLATER, CLARENCE S., and HOPP, HENRY: A Principle for Maintaining Structure in Clean-Cultivated Soils 347–352
The Action of Frost on the Water-Stability of Soils 341–346
The Effect of Earthworms on the Productivity of Agricultural Soil 325–339
SMITH, HERMAN, and WARREN, D. C.: The Origin of Breeds of Chickens 397–403
SMITH, R. M., and BROWNING, D. R.: The Influence of Drying on Soil Buffering in Relation to Aggregation and Other Factors 263–284
Smut resistance of *Triticum* strains 47, 60
SNYDER, WILLIAM C., TOOLE, E. RICHARD, and HEPTING, GEORGE H.: Fusaria Associated with Mimosa Wilt, Sumac Wilt, and Pine Pitch Canker 365–382
Sodium—
fluoride, tolerance of molds to 697, 699, 700, 701–702
hydroxide, use in removal of encrustants from hemp fiber 154–158
meta bisulfite ($Na_2S_2O_5$), agency in protection of carrot pigments 508, 510, 511–512
sulfamerazine, effect on *Salmonella pullocum*. E. Roberts, A. Eisenstark, and J. O. Alberts 291–294
Soil—
agricultural, productivity, effect of earthworms on. Henry Hopp and Clarence S. Slater 325–339
buffering—
against different cations, effect of drying 275–276
influence of drying in relation to aggregation and other factors. R. M. Smith and D. R. Browning 263–284
crushing time, effect on pH 278–279
frost damage, moderation, means 345
grinding, effects on pH 278
hydrogen-ion concentration, changes due to drying, reversibility 268–272, 280
infiltration by earthworms 334–337
inoculation with *Azotobacter*, effect upon plant growth and nitrogen balance. P. L. Gainey 405–411
protected over winter, structural condition 349–351
suspensions in contact with base, pH, effect of time 267
treated with—
bases, pH, effect of drying time 277
bases, weight, effect of drying 277
benzene hexachloride, chlordane, and chlorinated camphene, potatoes grown in, palatability tests. Mary L. Greenwood and Jean Marie Tice 477–482
type, effect on ascorbic acid content of strawberries 258, 260, 261
Soils—
clean-cultivated, structure maintenance, principle. Henry Hopp and Clarence S. Slater 347–352
drying—
effect—
on aggregates 280, 281
on buffering against different cations 275–276, 280, 281
on buffering, tests 266–268, 279–280, 281
on exchange capacity and recovery of added bases 273–274

Page

Soils—Continued
drying—continued
effect—continued
on pH 266
on release of H+ to neutral salt 274–275, 280, 281
variations, factors causing 276–279, 280–281
influence on buffering in relation to aggregation and other factors. R. M. Smith and D. R. Browning 263–284
temperature, effect on pH 279
time, effects 276–277
freezing—
and thawing repeatedly, effects 344
slow and fast rates, effect 344
hydrogen-ion concentration, effect of—
drying after addition of increments of base 267–268
drying samples 266
drying temperatures 279
drying time 277, 278
grinding 278
long-continued soaking, comparisons 272
of different types and qualities, freezing effects 343
soaking and drying alternate, results 272–273, 280
water-stability, action of frost on. Clarence S. Slater and Henry Hopp 341–346
Solanum tuberosum. *See* Potatoes.
Sorghum—
anthesis 663
caryopsis, cytology 667–670
development, postfertilization 667
embryo—
development 659, 667–669
mature, structure 669–670
sac, mature, organization 662–663
endosperm, development 669
fertilization 665–667
flower development 663
inflorescence, morphology 660
macrosporogenesis 660–662
microsporogenesis 663–665
seed coat, structure 670
seedling structure 670–672
vulgare, reproduction, cytology of. Ernst Artschwager and Ruth C. McGuire 659–673
Soybean production, effect of earthworms 330, 334–337
Specific gravity, relation to shrinkage and growth in yellow poplar. Harvey D. Erickson 103–127
Spinach, Brazilian curly top, symptoms 682–683
Spinal canal of cattle, *Hypoderma* larvae occurence in. Warren O. Haberman, Banner Bill Morgan, and Robert J. Dicke 637–640
Spiny bur, Brazilian curly top, symptoms 682
Spray—
residue, DDT, removal from apples, problems. Kenneth C. Walker 383–387
treatments, pre-harvest, effect on pigment breakdown in carrots 513–514
Spreaders, effect on DDT residue 386
Sprinkling, overhead, effect on DDT residue 386
Squash—
pathogenicity of *Mycosphaerella melonis* 607
seedlings, inoculation with *Mycosphaerella melonis* 601–603
STAHMANN, MARK A., CALVERT, O. H., POUND, GLENN S., WALKER, J. C., and STAUFFER, J. F., Jr.: Induced Variability in *Phoma lingam* 571–588
STAUFFER, J. F., JR., CALVERT, O. H., POUND, GLENN S., WALKER, J. C., and STAHMANN, MARK A.: Induced Variability in *Phoma lingam* 571–588
STEARNS, C. R., JR., and GRIFFITHS, J. T., JR.: The Effects of Airplane DDT Applications on Citrus Groves in Florida 471–476
Stem rust resistance in *Triticum* strains 45–47, 58–59, 60–61
STEINBERG, ROBERT A.: Symptoms of Amino Acid Action on Tobacco Seedlings in Aseptic Culture 733–741
Stereum frustulosum, damage to wood 132, 133, 134
Stickers, effect on DDT residue 386

Page

STOCKING, C. R., and WEIER, T. E.:
Stability of Carotenoids in Ground Dehydrated Carrots ... 489-501
The Influence of Selected Antioxidants on Dehydrated Carrots ... 503-515
Strawberries—
ascorbic acid content, effect of sunlight. Willard B. Robinson ... 257-262
locations, effect on ascorbic acid content ... 258, 261
shading, effect on ascorbic acid content ... 258-260
STROMAN, G. N.: Variability and Correlation in a Cotton-Breeding Program ... 353-364
Sugar beet—
Argentine curly top, resemblance of Brazilian curly top of tomato and tobacco to. C. W. Bennett and A. S. Costa ... 675-693
Brazilian curly top, symptoms ... 683
curly top, North American, resemblance of Brazilian curly top of tomato and tobacco to. C. W. Bennett and A. S. Costa ... 675-693
Sumac wilt—
fusaria associated with. William C. Snyder, E. Richard Toole, and George H. Hepting ... 365-382
fusarium—
studies ... 372-375
taxonomy and nomenclature ... 372-374
pathogen, similarity to mimosa wilt fungus ... 374-375
Sun, effect on toxicological and chemical values of derris root. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413-416
Sunlight, effect on ascorbic acid content of strawberries. Willard B. Robinson ... 257-262
Sweetclover—
white, infection with Wisconsin pea stunt virus ... 621
yellow, infection with Wisconsin pea stunt virus ... 621
Sweetpotatoes—
black rot, effect of heat. L. J. Kushman and J. S. Cooley ... 183-190
keeping quality, effect of heat. L. J. Kushman and J. S. Cooley ... 183-190
Synergism, definition ... 645
Synergistic action of DDT-sabadilla mixtures, evidence, with toxicity studies. J. T. Medler and H. E. Thompson ... 641-646

TALMADGE, D. W., and HAYS, F. A.: Hatchability in Rhode Island Reds as Affected by Age of Parents ... 285-290
Tangelo, tristeza disease studies ... 223, 224, 231, 232, 234
Tangerine, tristeza disease ... 222-225, 228, 234
Tarnished plant bugs, susceptibility to DDT-sabadilla mixtures ... 641-646
Temperature—
air, effect on virus concentration and leaf morphology of mosaic-infested horseradish. Glenn S. Pound ... 161-170
cause of variability in *Phoma lingam* ... 585-586
changes during fermentation of steamed potato silage ... 24-25
data for forecasting late blight epiphytotics ... 546-562
effect on—
infection of pea by tip blight ... 318-323
mutation of cucurbit black rot fungus ... 98
pigment breakdown in carrot ... 500
rate of development of California red scales resistant and nonresistant to hydrocyanic acid gas. Francis Munger ... 451-456
symptom expression of cucumber disease ... 652-653
symptom expression of tobacco disease ... 652-653
relation to—
development of cucurbit black rot ... 603-605
development of onion pink root disease ... 9-11
development of Wisconsin pea stunt disease ... 621
growth of *Mycosphaerella melonis* ... 598, 612
Temperatures, conditioning, for vanilla ... 431-433
Thermophiles—
activity during fermentation of steamed potatoes ... 27-29, 30
populations during fermentation of steamed potato silage ... 26-27

Page

THOMPSON, H. E., and MEDLER, J. T.: Toxicity Studies of DDT-Sabadilla Mixtures with Evidence of Synergistic Action ... 641-646
Thyronectria austro-americana, description and association ... 372
TICE, JEAN MARIE, and GREENWOOD, MARY L.: Palatability Tests on Potatoes Grown in Soil Treated with the Insecticides Benzene Hexachloride, Chlordane, and Chlorinated Camphene ... 477-482
Tilletia foetida, resistance of *Triticum* strains to ... 47, 60
Tip blight—
causal organism ... 315-316, 323
fungus, effect of moisture and temperature ... 318-323
of garden pea. W. W. Hare ... 311-324
symptoms ... 312-314
Tobacco—
Brazilian curly top—
resembling North American and Argentine curly top of sugar beet. C. W. Bennett and A. S. Costa ... 675-693
symptoms ... 679-680
disease caused by watermelon virus—
effect of temperature ... 652-653
symptoms ... 648
low-nicotine—
breeding. W. D. Valleau ... 171-181
crops, nicotine content ... 174-175
nicotine and nornicotine content ... 175-178
smoking, effects ... 179
ringspot virus, cause of virus disease of watermelon in Wisconsin. Glenn S. Pound ... 647-658
seedlings—
frenching symptoms, near duplication ... 734-739, 740
gross morphology, effects of compounds on ... 739-740
in aseptic culture, amino acid action, symptoms. Robert A. Steinberg ... 733-741
responses to amino acids ... 734-739
responses to other compounds ... 739
Toluhydroquinone, effect on pigment in carrots ... 508, 509, 511
Tomato—
Brazilian curly top—
resembling North American and Argentine curly top of sugar beet. C. W. Bennett and A. S. Costa ... 675-693
symptoms ... 680-681
late blight epiphytotics, forecasting. Harold C. Cook ... 545-563
TOOLE, E. RICHARD, SNYDER, WILLIAM C., and HEPTING, GEORGE H.: Fusaria Associated with Mimosa Wilt, Sumac Wilt, and Pine Pitch Canker ... 365-382
Toxicant constituents of derris, effect of root diameter ... 417-422
Toxicants, molds on wood favored. Arthur F. Verrall ... 695-703
Toxicity studies of DDT-sabadilla mixtures with evidence of synergistic action. J. T. Medler and H. E. Thompson ... 641-646
Toxicological—
comparison, further, of derris and lonchocarpus. Merriam A. Jones, Caleb Pagán, Edward R. McGovran, Wilbur A. Gersdorff, and Price G. Piquett ... 191-196
rotenone equivalent of derris and lonchocarpus roots, comparison with chemical values. Caleb Pagán and Arnaud J. Loustalot ... 197-205
values of derris root, effect of sun, shade, and oven-drying. Caleb Pagán, Richard H. Hageman, and Arnaud J. Loustalot ... 413-416
Trichodectes ovis, control by rotenone and benzene hexachloride dusts ... 565-569
Trichoderma viride, development on wood treated with sodium fluoride ... 697, 699-702
Trifolium. *See* Clover.
Tristeza—
control measures used in Brazil, evaluation ... 227-229
disease of citrus. C. W. Bennett and A. S. Costa ... 207-237
economic importance and spread ... 209-210

Page

Tristeza—Continued
history and cause ... 207–209
susceptibility to ... 222–226
symptoms ... 210–212, 229–230
transmission ... 212–222
variations and similar diseases ... 233–234
virus—
failure to produce injury on plant growing on own roots ... 226, 231
movement ... 230–231
symptomless carriers ... 224–225
Triticum—
backcrosses, resistance to bunt ... 47, 60
parental plants, seed set, relation to seed set of backcrossed offspring ... 52
timopheevi—
characters, morphological ... 36
genes, transfer to common wheat by backcrossing, cytogenetic study. R. W. Allard ... 33–64
hybrid, breeding behavior ... 59–60
parent, comparison with common wheat parent ... 36
parent, comparison with F_1 hybrid ... 36
vulgare—
crossing with *T. timopheevi* ... 35–36
× *T. timopheevi*—
backcross, meiotic behavior ... 38
backcrossed—
F_4 generation, cytological observations ... 59
strains, bunt studies ... 47, 60
strains, description ... 48–49
strains, mildew resistance ... 59, 60
strains, regression ... 47–52
strains, rust studies ... 45–47, 58–61
strains, selection criteria ... 52–53
backcrosses, chromosomes ... 41
backcrosses, F_2 and F_3 generations, description ... 53–56
backcrosses, morphological regression ... 41–45
backcrosses, selfed strains, regression ... 47–52
backcrossing to *T. vulgare*, process ... 41
backcrossing to *T. vulgare*, results ... 41–53, 60
backcrossing with *T. timopheevi* ... 53
characters, morphological ... 36
cytogenetic study ... 33–62
F_1 generation, behavior ... 37–41
F_2 and F_3 generations, chromosome distribution ... 54
F_3 generation, description ... 58–59
first natural backcross generation ... 56–58
hybrid, meiotic behavior ... 38
Tuberularia vulgaris, description and association ... 372
Tyrosinase, relation to darkening of cooked potatoes ... 634

Ultraviolet irradiation of *Phoma lingam* ... 580–585
Urine of lambs, gross energy value, calculation method ... 485

VALLEAU, W. D.:
Breeding Low-Nicotine Tobacco ... 171–181
The Genetics of Mosaic Resistance in *Nicotiana glutinosa* ... 77–79
Vanilla—
bean—
enzyme, effect of inactivators ... 438
oxidase activity ... 437
oxidizing enzymes ... 436–439
beans—
curing, experimental methods ... 429–433
harvested green, quality of cured product ... 447
infiltration with enzymes of other materials ... 443
killing methods, comparison ... 427–428
cured—
quality, effect of maturity ... 447–448
quality, relation to some natural factors. Merriam A. Jones and Gilda C. Vicente ... 445–450
curing—
conditioning temperatures ... 431–433
methods, experimental ... 429–433
procedure, recommendations ... 433
processes ... 435–436, 439, 441–442

Page

Vanilla—Continued
curing—continued
separate parts of fruit, methods and results ... 430–431
whole, cut, and ground beans, methods and results ... 429–430
enzyme—
extracts, preparation ... 441–442
system, nature of ... 436–439
systems, inactivation and vacuum infiltration. Merriam A. Jones and Gilda C. Vicente ... 435–443
enzymes—
inactivation, effect ... 439–441
vacuum infiltration ... 441–442, 443
extracts, preparation ... 426
flavor, preparation ... 425
from diseased plants, quality ... 449
killing methods, comparison ... 427–428
maturity, effect on quality of cured product ... 447–448
organoleptic test ... 426–427, 429–430, 432, 433
planting altitude, effect on quality of cured product ... 448–449
quality, variation during season ... 445–447
root rot, effect on quality of cured product ... 449
testing criteria—
analysis and technique ... 426–427
relation to killing and curing methods. Merriam A. Jones and Gilda C. Vicente ... 425–434
Vanillin contents—
effect of curing methods ... 429–430
of beans harvested at various stages of maturity ... 447
of conditioned beans ... 433
of diseased plants ... 449
of products cured at different seasons ... 446
Variability, induced, in *Phoma lingam*. O. H. Calvert, Glenn S. Pound, J. C. Walker, Mark A. Stahmann, and J. F. Stauffer, Jr. ... 571–588
VERRALL, ARTHUR F.: Some Molds on Wood Favored by Certain Toxicants ... 695–703
VINCENTE, GILDA C., and JONES, MERRIAM A:
Criteria for Testing Vanilla in Relation to Killing and Curing Methods ... 425–434
Inactivation and Vacuum Infiltration of Vanilla Enzyme Systems ... 435–443
Quality of Cured Vanilla in Relation to Some Natural Factors ... 445–450
Vigna sinensis. *See* Cowpea.
Virus—
concentration of mosaic-infected horseradish, effect of air temperature on. Glenn S. Pound ... 161–170
disease of watermelon in Wisconsin incited by the tobacco ringspot virus. Glenn S. Pound ... 647–658
Viviparous growth in immature barley kernels. M. N. Pope ... 295–309
Vivipary, occurrence in grain ... 295, 296, 301–302, 307–308

WALKER, J. C.—
and CHIU, W. F.:
Morphology and Variability of the Cucurbit Black Rot Fungus ... 81–102
Physiology and Pathogenicity of the Cucurbit Black Rot Fungus ... 589–615
and HAGEDORN, D. J.: Wisconsin Pea Stunt, a Newly Described Disease ... 617–626
CALVERT, O. H., POUND, GLENN S., STAHMANN, MARK A., and STAUFFER, J. F., JR.: Induced Variability in *Phoma lingam* ... 571–588
GORENZ, A. M., and LARSON, R. H.: Factors Affecting Pathogenicity of Pink Root Fungus of Onions ... 1–18
HARE, W. W., and DELWICHE, E. J.: Inheritance of a Gene for Near-Wilt Resistance in the Garden Pea ... 239–250
WALKER, KENNETH C.: Problems Relating to the Removal of DDT-Spray Residue from Apples ... 383–387
Warble fly. See *Hypoderma*.
WARREN, D. C., and SMITH, HERMAN: The Origin of Breeds of Chickens ... 397–403

	Page
Washing, apples, effect on removal of DDT residue	383–385
Water-stability of soils, action of frost on. Clarence S. Slater and Henry Hopp	341–346
Watermelon—	
black rot after inoculation in field	612
mosaic disease—	
effect of temperature	652–653
host range	651–652, 654–655
symptoms	648–652, 654–655
virus identification	655–657
virus, properties	655
penetration by *Mycosphaerella melonis*	605–606
seedlings, inoculation with *Mycosphaerella melonis*	601–602
virus—	
disease in Wisconsin incited by tobacco ringspot virus. Glenn S. Pound	647–658
identification	655–657
physical properties on cucumber	655
relationship to tobacco ringspot virus	655–657
Weather—	
conditions, correlation with late blight epiphytotics	557–561
data for forecasting late blight epiphytotics	546–562
WEIER, T. E., and STOCKING, C. R.:	
Stability of Carotenoids in Ground Dehydrated Carrots	489–501
The Influence of Selected Antioxidants on Dehydrated Carrots	503–515
WEIMER, J. L.: Red Stem Canker of Cowpea, Caused by *Phytophthora cactorum*	65–75
Wheat—	
common, transfer of genes from *Triticum timopheevi* to by backcrossing, cytogenetic study. R. W. Allard	33–64
production, effect of earthworms	331, 334–337
stem rust resistance in *Triticum* strains	45–47, 58–59, 60–61
See also *Triticum*.	
Wilt, near. *See* Near-wilt.	
Wireworm, soil treatments, effect on flavor of cooked potatoes	477–482
Wisconsin pea stunt—	
development, relation to temperature	621
newly described disease. D. J. Hagedorn and J. C. Walker	617–626
symptoms	618–621, 622
virus—	
contrast with similar viruses	625–626
disease of watermelon incited by tobacco ringspot virus. Glenn S. Pound	647–658
host range	621–623
physical properties	624
transmission	624–625
Wood—	
growth analyses, use of linear relationships	123
molds favored by certain toxicants. Arthur F. Verrall	695–703
oak, decay resistance	129–152
specific gravity, factors affecting, association between	122–123
Zea mays. *See* Corn.	